

	A	B	C	D
1	SPECIES	AUTHORITY	FLYING	NOTES
2				
3				
4	Andrenidae			
5	Andrena - mining bees			
6	<i>A. alfkenella</i>	Perkins, 1914	(2) 4-6, 7-9	RDB , chalk grassland
7	<i>A. angustior</i>	(Kirby, 1802)	(1) 4-6	local , heathy woodland
8	<i>A. apicata</i>	Smith, 1847	(1) 3-4	scarce , light soils, visits Salix
9	<i>A. argentata</i>	Smith, 1844	(1) 7-9	scarce , ericaceous heath
10	<i>A. barbilabris</i>	(Kirby, 1802)	(1) 4-6	sandy soils
11	<i>A. bicolor</i>	Fabricius, 1775	(2) 3-5, 7-8	various habitats
12	<i>A. bimaculata</i>	(Kirby, 1802)	(2) 3-5, 7-8	scarce , light soils
13	<i>A. bucephala</i>	Stephens, 1846	(1) 4-5	scarce , scrub edge
14	<i>A. carantonica (=scotica)</i>	Pérez, 1902	(1) 3-7	various habitats
15	<i>A. chrysosceles</i>	(Kirby, 1802)	(1) 4-6	woodland clearings
16	<i>A. cineraria</i>	(Linnaeus, 1758)	(1) 4-5	meadow
17	<i>A. clarkella</i>	(Kirby, 1802)	(1) 2-4	woodland
18	<i>A. coitana</i>	(Kirby)	(1) 6-8	local , meadows & moorland edge
19	<i>A. congruens</i>	Schmiedeknecht, 1884	(2) 3-5, 7-8	scarce , scrub edges & bare ground
20	<i>A. denticulata</i>	(Kirby, 1802)	(1) 7-9	local , meadows & heath/moorland edge
21	<i>A. dorsata</i>	(Kirby, 1802)	(2) 4-5, 7-9	scrub edge
22	<i>A. falsifica</i>	Perkins, 1915	(1) 4-7	scarce , light soils, mainly heath & heathy woodland
23	<i>A. ferox</i>	Smith, 1847	(1) 4-6	RDB , open oak woodland
24	<i>A. flavipes</i>	Panzer, 1799	(2) 3-5, 7-9	various habitats
25	<i>A. florea</i>	Fabricius, 1793	(1) 5-7	RDB . Light soils, scrub edge
26	<i>A. floricola</i>	Eversmann, 1852	(1) 5	RDB, probably not native
27	<i>A. fucata</i>	Smith, 1847	(1) 3-6	woodland, scrub edge
28	<i>A. fulva</i>	(Muller, 1766)	(1) 3-6	scrub edge, grassland
29	<i>A. fulvago</i>	(Christ, 1791)	(1) 5-7	scarce, grassland
30	<i>A. fuscipes</i>	(Kirby, 1802)	(1) 7-9	local, ericaceous heaths & moors
31	<i>A. gravida</i>	Imhoff, 1832	(1) 4-5	RDB, on the edge of its range, no habitat preference
32	<i>A. haemorrhhoa</i>	(Fabricius, 1781)	(1) 3-6	scrub & meadows
33	<i>A. hattorfiana</i>	(Fabricius, 1775)	(1) 6-8	RDB. Tall grassland and scrub edge
34	<i>A. helvola</i>	(Linnaeus, 1758)	(1) 3-6	woodland edge, meadow
35	<i>A. humilis</i>	Imhoff, 1832	(1) 4-6	scarce, grasslands

	A	B	C	D
1	SPECIES	AUTHORITY	FLYING	NOTES
2				
3				
36	<i>A. labialis</i>	(Kirby, 1802)	(1) 5-7	local, grasslands
37	<i>A. labiata</i>	Fabricius, 1781	(1) 5-7	scarce, grasslands
38	<i>A. lapponica</i>	Zetterstedt, 1838	(1) 4-6	moorland & heathy woodland
39	<i>A. lathyri</i>	Alfken, 1899	(1) 5-6	RDB, grasslands & scrub edge
40	<i>A. lepida</i>	Schenck, 1861	(2) 4-5, 7-8	RDB, calcareous grasslands
41	<i>A. marginata</i>	Fabricius, 1776	(1) 7-9	scarce. Grasslands
42	<i>A. minutula</i>	(Kirby, 1802)	(2) 3-4, 5-8	various habitats
43	<i>A. minutuloides</i>	Perkins, 1914	(2) 4-5, 6-8	scarce, grassland on light soils
44	<i>A. nana</i>	(Kirby, 1802)	(2) 4-6, 7-8	RDB, doubtfully native
45	<i>A. nanula</i>	Nylander, 1848	(1) 7-8	RDB, doubtfully native
46	<i>A. nigriceps</i>	(Kirby, 1802)	(1) 6-8	scarce, tall grasslands
47	<i>A. nigroaenea</i>	(Kirby, 1802)	(2) 3-6, 7-8	various habitats
48	<i>A. nigrospina</i>	Thomson, 1872	(1) 5-6	RDB, various habitats
49	<i>A. nitida</i>	Müller, 1776	(1) 4-6	grasslands & scrub edge
50	<i>A. nitidiuscula</i>	Schenck, 1853	(1) 6-9	RDB, grassland
51	<i>A. niveata</i>	Friese, 1887	(1) 5-6	RDB, various habitats
52	<i>A. ovatula</i>	(Kirby, 1802)	(2) 3-5, 7-9	heath, grassland
53	<i>A. pillipes (s.l.)</i>	N/A	(2) 3-5, 7-9	heath, grassland
54	<i>A. pilipes (s.s.)</i>	Fabricius, 1781	(2) 4-6, 7-8	scarce, various habitats
55	<i>A. polita</i>	Smith, 1847	(1) 6-8	RDB, probably extinct, chalk grasslands
56	<i>A. praecox</i>	(Scopoli, 1763)	(1) 3-5	local, scrub & woodland
57	<i>A. proxima</i>	(Kirby, 1802)	(1) 5-7	RDB, grassland & scrub edge
58	<i>A. rosae</i>	Panzer, 1801	(1) 7-9	RDB, grasslands
59	<i>A. ruficrus</i>	Nylander, 1848	(1) 3-5	RDB, grassland, scrub edge
60	<i>A. semilaevis</i>	Perez, 1903	(1) 5-8	various habitats
61	<i>A. similis (= ocreata)</i>	Smith, 1849	(1) 4-6	scarce, grassland and scrub edge
62	<i>A. simillima</i>	Smith, 1851	(1) 7-9	RDB, grasslands
63	<i>A. strangulata</i>	Illiger	(1) 3-5	RDB, Woodland scrub
64	<i>A. subopaca</i>	Nylander, 1848	(2) 4-6, 7-8	woodland
65	<i>A. synadelpha</i>	Perkins, 1914	(1) 3-6	local, woodland scrub
66	<i>A. tarsata</i>	Nylander, 1848	(1) 6-8	local, heath woodland & moorlands
67	<i>A. thoracica</i>	(Fabricius, 1775)	(2) 3-6, 7-9	local, grassland & scrub edge

	A	B	C	D
1	SPECIES	AUTHORITY	FLYING	NOTES
2				
3				
68	<i>A. tibialis</i>	(Kirby, 1802)	(1) 3-5	scarce, grassland & scrub edge
69	<i>A. tridentata</i>	(Kirby, 1802)	(1) 7-9	RDB, grasslands
70	<i>A. trimmerana</i>	(Kirby, 1802)	(2) 3-4, 7-8	scarce, grasslands & scrub
71	<i>A. vaga</i>	Panzer, 1799	(1) 3-5	RDB, doubtfully native,
72	<i>A. varians</i>	(Kirby, 1802)	(1) 3-6	scarce, scrub
73	<i>A. wilkella</i>	(Kirby, 1802)	(1) 5-7	grasslands
74				
75	Panurgus - mining bees			
76	<i>P. banksianus</i>	(Kirby, 1802)	(1)6-8	local, grasslands
77	<i>P. calcaratus</i>	(Scopoli, 1763)	(1)6-9	local, sandy grasslands
78				
79	Apidae			
80	Anthophora - solitary bees			
81	<i>A. bimaculata</i>	(Panzer, 1798)	(1)7-8	local
82	<i>A. furcata</i>	(Panzer, 1798)	(1)6-8	
83	<i>A. plumipes</i>	(Pallas, 1772)	(1)3-7	
84	<i>A. quadrimaculata</i>	(Panzer, 1798)	(1)6-8	scarce
85	<i>A. retusa</i>	(Linnaeus, 1758)	(1)4-7	RDB
86				
87	Apis - honey bees			
88	<i>A. mellifera</i>	Linnaeus, 1758		
89				
90	Bombus - social bumblebees			
91	<i>B. cryptarum</i>	Sparre Schneider, Fabricius 1775	(m)3-8	true status in Britain unknown
92	<i>B. cullumanus</i>	(Kirby, 1802)	late-flyer	extinct
93	<i>B. distinguendus</i>	Morawitz, 1869	(m)5-9	scarce, greatly declined, N. scotland & isles only
94	<i>B. hortorum</i>	(Linnaeus, 1761)	(m)4-10	
95	<i>B. humilis</i>	Illiger, 1806	(m)4-10	local, greatly declined, grassland
96	<i>B. hypnorum</i>	(Linnaeus, 1758)	(m)3-8	recent arrival, becoming widely distributed
97	<i>B. jonellus</i>	(Kirby, 1802)	(m)3-9	local, widely distributed, mainly on heath/moor
98	<i>B. lapidarius</i>	(Linnaeus, 1758)	(m)3-9	
99	<i>B. lucorum s.l.</i>	N/A	(m)3-8	

	A	B	C	D
1	SPECIES	AUTHORITY	FLYING	NOTES
2				
3				
100	<i>B. lucorum s.s.</i>	(Linnaeus, 1761)	(m)3-8	
101	<i>B. magnus</i>	Vogt, 1911	(m)4-9	northern & western
102	<i>B. monticola</i>	Smith, 1849	(m)3-9	local, on mountains/moors, declined greatly
103	<i>B. muscorum</i>	(Linnaeus, 1758)	(m)5-9	local, grasslands, declined greatly
104	<i>B. pascuorum</i>	(Scopoli, 1763)	(m)4-11	
105	<i>B. pratorum</i>	(Linnaeus, 1761)	(m)3-9	
106	<i>B. ruderarius</i>	(Müller, 1776)	(m)4-8	local, grasslands, greatly declined
107	<i>B. ruderatus (1)</i>	(Fabricius, 1775)	(m)5-9	scarce, possibly wetlands, declined greatly
108	<i>B. ruderatus (2)</i>	(Fabricius, 1775)	(m)5-9	scarce, possibly wetlands, declined greatly
109	<i>B. soroeensis</i>	(Fabricius, 1777)	(m)5-9	local, grasslands
110	<i>B. subterraneus</i>	(Linnaeus, 1758)	(m)5-8	scarce, extinct
111	<i>B. sylvarum</i>	(Linnaeus, 1761)	(m)4-10	scarce, greatly declined, grasslands
112	<i>B. terrestris</i>	(Linnaeus, 1758)	(m)3-10	
113				
114	Bombus - cuckoo bumblebees			
115	<i>B. barbutellus</i>	(Kirby, 1802)	(-)4-8	
116	<i>B. bohemicus</i>	(Seidl, 1837)	(-)4-8	
117	<i>B. campestris (1)</i>	(Panzer, 1801)	(-)5-9	
118	<i>B. campestris (2)</i>	(Panzer, 1801)	(-)5-9	
119	<i>B. rupestris</i>	(Fabricius, 1793)	(-)4-9	scarce, increasing in distribution
120	<i>B. sylvestris</i>	(Lepelletier, 1832)	(-)4-8	
121	<i>B. vestalis</i>	(Geoffroy, 1785)	(-)4-8	
122				
123	Ceratina - carpenter bees			
124	<i>C. cyanea</i>	(Kirby, 1802)	(1)5-9	RDB
125				
126	Epeolus - cuckoo bees			
127	<i>E. cruciger</i>	(Panzer, 1799)	(1)6-9	local
128	<i>E. variegatus</i>	(Linnaeus, 1758)	(1)6-9	
129				
130	Eucera - mining bees			
131	<i>E. longicornis</i>	(Linnaeus, 1758)	(1)5-7	scarce

	A	B	C	D
1	SPECIES	AUTHORITY	FLYING	NOTES
2				
3				
132	<i>E. nigrescens</i>	Pérez, 1879	(1)5-6	RDB
133				
134	Melecta - cuckoo bees			
135	<i>M. albifrons</i>	(Förster, 1771)	(1)4-6	
136	<i>M. luctuosa</i>	(Scopoli, 1770)	(1)4-7	RDB
137				
138	Nomada - cuckoo bees			
139	<i>N. argentata</i>	Herrich-Schäffer, 1839	(1)5-7	RDB, grasslands
140	<i>N. armata</i>	Herrich-Schäffer, 1839	(1)6-8	RDB, grasslands, Wiltshire
141	<i>N. baccata</i>	Smith F., 1844	(1)7-9	scarce, heaths
142	<i>N. castellana</i>	Dusmet, 1913	(1)5-6	Channel Islands only
143	<i>N. conjungens</i>	Herrich-Schäffer, 1839	(1)5-6	RDB
144	<i>N. errans</i>	Lepeletier, 1841	(1)7-8	RDB, coast of Isle of Purbeck, Dorset
145	<i>N. fabriciana</i>	(Linnaeus, 1767)	(2)3-8	
146	<i>N. ferruginata</i>	(Linnaeus, 1767)	(1)4-5	RDB, scrub
147	<i>N. flava</i>	Panzer, 1798	(1)4-6	
148	<i>N. flavoguttata</i>	(Kirby, 1802)	(1)3-8	
149	<i>N. flavopicta</i>	(Kirby, 1802)	(1)6-9	scarce, grasslands
150	<i>N. fucata</i>	Panzer, 1798	(2)4-9	scarce, increase in distribution
151	<i>N. fulvicornis</i>	Fabricius, 1793	(2)4-8	RDB
152	<i>N. fuscicornis</i>	Nylander, 1848	(1)7-9	Channel Islands only
153	<i>N. goodeniana</i>	(Kirby, 1802)	(2)4-8	
154	<i>N. guttulata</i>	Schenck, 1861	(1)5-6	RDB, grasslands
155	<i>N. hirtipes</i>	Pérez, 1884	(1)4-6	RDB, scrub edge
156	<i>N. integra</i>	Brullé, 1832	(1)4-6	scarce, grasslands
157	<i>N. lathburiana</i>	(Kirby, 1802)	(1)4-6	RDB, increasing distribution
158	<i>N. leucopthalma</i>	(Kirby, 1802)	(1)3-5	woodland edge
159	<i>N. marshamella</i>	(Kirby, 1802)	(2)3-9	
160	<i>N. obtusifrons</i>	Nylander, 1848	(1)7-8	scarce
161	<i>N. panzeri</i>	Lepeletier, 1841	(1)4-7	
162	<i>N. roberjeotiana</i>	Panzer, 1799	(1)6-9	RDB, heathlands
163	<i>N. ruficornis</i>	(Linnaeus, 1758)	(1)4-6	

	A	B	C	D
1	SPECIES	AUTHORITY	FLYING	NOTES
2				
3				
164	<i>N. rufipes</i>	Fabricius, 1793	(1)4-6	
165	<i>N. rufipes</i>	Fabricius, 1793	(1)6-9	(alternative female colour form
166	<i>N. sexfasciata</i>	Panzer, 1799	(1)5-6	RDB, grasslands
167	<i>N. sheppardana</i>	(Kirby, 1802)	(1)5-7	
168	<i>N. signata</i>	Jurine, 1807	(1)4-5	RDB
169	<i>N. similis</i>	Morawitz, 1872	(1)6-9	Channel Islands only
170	<i>N. striata</i>	Fabricius, 1793	(1)5-7	local, grasslands
171				
172	Xylocopa - carpenter bees			
173	<i>X. violacea</i>	(Linnaeus, 1758)		occasional visitor from Continent (violet wings)
174				
175	Colletidae			
176	Colletes - mining bees			
177	<i>C. cunicularius</i>	(Linnaeus, 1761)	(1)4-6	RDB. coastal dunes, NW Eng., NW & SW Wales
178	<i>C. daviesanus</i>	Smith, 1846	(1)6-9	gardens & fields, nests in soil, walls, soft cliffs
179	<i>C. floralis</i>	Eversmann, 1852	(1)6-8	RDB. mainly coasts SW Scotland, w. Isles
180	<i>C. fodiens</i>	Geoffroy, 1785	(1)6-9	local; sandy ground; England & Wales, S, Scotland
181	<i>C. halophilus</i>	Verhoeff, 1944	(1)8-10	SCARCE. salt marshes SE and S England
182	<i>C. hederæ</i>	Schmidt&Westrich, 1993	(1)9-11	CI. Purbeck to E. Devon
183	<i>C. marginatus</i>	Smith, 1846	(1)6-8	SCARCE. coast S. England + inland E. Anglia
184	<i>C. similis</i>	Schenck, 1853	(1)6-9	coast & inland, more soil tolerant
185	<i>C. succinctus</i>	(Linnaeus, 1758)	(1)7-10	local, heathland/moorland, nests in ground
186				
187	Hylaeus - solitary bees			
188	<i>H. brevicornis</i>	Nylander, 1852	(1)5-9	nests in pithy stems/dead wood
189	<i>H. communis</i>	Nylander, 1852	(1)5-9	holes in dead wood
190	<i>H. confusus</i>	Nylander, 1852	(1)5-9	holes in dead wood, ground & masonry
191	<i>H. cornutus</i>	Curtis, 1831	(1)5-9	SCARCE. nests hollow stems
192	<i>H. dilatatus (= annularis)</i>	(Kirby, 1802)	(1)5-9	stem-nester
193	<i>H. hyalinatus</i>	Smith, 1842	(1)5-9	sandy soils, cavities
194	<i>H. incongruus (= gibbus)</i>	Förster, 1871	(1)6-8	RDB, in dead wood, dry stems, only south-east
195	<i>H. pectoralis</i>	Förster, 1871	(1)6-9	LOCAL. in old Lipara galls in Phragmites/stems

	A	B	C	D
1	SPECIES	AUTHORITY	FLYING	NOTES
2				
3				
196	<i>H. pictipes</i>	Nylander, 1852	(1)6-8	RDB, in holes in dead wood/stems
197	<i>H. punctulatissimus</i>	Smith, 1852	-1	probably not native
198	<i>H. signatus</i>	(Panzer, 1798)	(1)6-9	scarce, nests in light soil
199	<i>H. spilotus</i>	Förster, 1871	(1)7-8	RDB, coastal, In sand
200				
201	Dufourea - mining bees			
202	<i>D. halictula</i>	(Nylander, 1852)	(1)7-8)	RDB, sandy grasslands
203	<i>D. minuta</i>	Lepeletier, 1841	(1)6-7	RDB, sandy grasslands
204				
205	Halictus - mining bees			
206	<i>H. confusus</i>	Smith, 1853	(1)4-9	RDB, dry heathland
207	<i>H. eurygnathus</i>	Blüthgen, 1931	(1)6-9	RDB, probably extinct
208	<i>H. quadricinctus</i>	(Fabricius)	(1)4-9	Channel Islands only
209	<i>H. rubicundus</i>	(Christ, 1791)	(1)4-9	grasslands
210	<i>H. scabiosae</i>	(Rossius, 1790)	(1)4-9	Channel Islands only
211	<i>H. subauratus</i>	(Rossius, 1792)	(1)6	RDB, probably extinct
212	<i>H. tumulorum</i>	(Linnaeus, 1758)	(1)4-10	various habitats
213				
214	Lasioglossum - mining bees			
215	<i>L. albipes</i>	(Fabricius, 1781)	(1)4-10	various habitats
216	<i>L. angusticeps</i>	(Perkins, 1895)	(1)5-8	RDB, coastal grassland
217	<i>L. brevicorne</i>	(Schenck, 1869)	(1)5-9	RDB, dry sandy grassland
218	<i>L. calceatum</i>	(Scopoli, 1763)	(1)4-10	various habitats
219	<i>L. cupromicans</i>	(Pérez, 1903)	(1)4-10	various habitats
220	<i>L. fratellum</i>	(Pérez, 1903)	(1)4-9	various habitats
221	<i>L. fulvicorne</i>	(Kirby, 1802)	(1)4-10	calcareous grassland
222	<i>L. laeva</i>	(Kirby 1802)		Chanel Isles and Suffolk, probably extinct
223	<i>L. laevigatum</i>	(Kirby, 1802),	(1)4-9	Local, calcareous grassland
224	<i>L. laticeps</i>	(Schenck, 1869)	(1)4-9	RDB, coastal grassland
225	<i>L. lativentre</i>	(Schenck, 1853)	(1)3-10	Local, grassland & heathland
226	<i>L. leucopus</i>	(Kirby, 1802)	(1)4-9	various habitats
227	<i>L. leucozonium</i>	(Schrank, 1781)	(1)4-10	various habitats

	A	B	C	D
1	SPECIES	AUTHORITY	FLYING	NOTES
2				
3				
228	<i>L. limbellum</i>	(Morawitz, 1876)	(1)4-9	Channel Islands only
229	<i>L. malachurum</i>	(Kirby, 1802)	(1)3-10	various habitats
230	<i>L. minutissimum</i>	(Kirby, 1802)	(1)5-8	various habitats
231	<i>L. morio</i>	(Fabricius, 1793)	(1)3-10	various habitats
232	<i>L. nitidiusculum</i>	(Kirby, 1802)	(1)4-9	local, various habitats
233	<i>L. parvulum</i>	(Schenck, 1853)	(1)3-9	various habitats
234	<i>L. pauperatum</i>	(Brullé, 1832)	(1)4-9	RDB, grassland
235	<i>L. pauxillum</i>	(Schenck, 1853)	(1)4-9	scarce, but vast increase in range; various habitats
236	<i>L. prasinum</i>	(Smith, 1848)	(1)4-10	local, heathland
237	<i>L. punctatissimum</i>	(Schenck, 1853)	(1)4-10	sandy soils
238	<i>L. puncticolle</i>	(Morawitz, 1872)	(1)5-9	scarce, grassland or woodland on clay
239	<i>L. quadrinotatum</i>	(Kirby, 1802)	(1)4-9	scarce, various habitats
240	<i>L. rufitarse</i>	(Zetterstedt, 1838)	(1)4-9	various habitats
241	<i>L. semilucens</i>	Alfken, 1914	(1)7-8	RDB, various habitats
242	<i>L. sexnotatum</i>	(Kirby, 1802)	(1)4-9	RDB, sandy grassland
243	<i>L. sexstrigatum</i>	(Schenck, 1870)		new to Britain
244	<i>L. smeathmanellum</i>	(Kirby, 1802)	(1)4-10	various habitats
245	<i>L. villosulum</i>	(Kirby, 1802)	(1)3-10	various habitats
246	<i>L. xanthopus</i>	(Kirby)	(1)4-9	scarce, grasslands
247	<i>L. zonulum</i>	(Smith, F., 1848)	(1)4-9	local, grasslands & woodlands
248				
249	Rophites - mining bees			
250	<i>R. quinquespinosus</i>	Spinola, 1808	(1)8	RDB, doubtfully native
251				
252	Sphecodes - cuckoo bees			
253	<i>S. crassus</i>	Thomson, 1870	(2)5-9	scarce, various habitats
254	<i>S. ephippius</i>	(Linnaeus, 1767)	(2)4-9	various habitats
255	<i>S. ferruginatus</i>	von Hagens, 1882	(2)5-9	scarce, grasslands
256	<i>S. geoffrellus</i>	(Kirby, 1802)	(2)4-9	various habitats
257	<i>S. gibbus</i>	(Linnaeus, 1758)	(2)5-9	various habitats
258	<i>S. hyalinatus</i>	von Hagens, 1882	(2)5-9	local, grasslands
259	<i>S. longulus</i>	von Hagens, 1882	(2)5-8	scarce, sandy soils

	A	B	C	D
1	SPECIES	AUTHORITY	FLYING	NOTES
2				
3				
260	<i>S. marginatus</i>	von Hagens, 1882	(2)4-8	Channel Islands only
261	<i>S. miniatus</i>	von Hagens, 1882	(2)5-9	scarce, sandy grassland
262	<i>S. monilicornis</i>	(Kirby, 1802)	(2)4-9	various habitats
263	<i>S. niger</i>	von Hagens, 1874	(2)4-10	RDB, various habitats
264	<i>S. pellucidus</i>	Smith, 1845	(2)4-8	sandy soils
265	<i>S. puncticeps</i>	Thomson, 1870	(2)5-9	local, various habitats
266	<i>S. reticulatus</i>	Thomson, 1870	(2)5-10	scarce, light soils
267	<i>S. rubicundus</i>	von Hagens, 1875	(1)5-7	scarce, grasslands
268	<i>S. scabricollis</i>	Wesmael, 1835	(2)6-9	RDB, grasslands & woodlands
269	<i>S. spinulosus</i>	von Hagens, 1875	(1)5-7	RDB, grasslands
270				
271	Megachilidae			
272	Anthidium - carder bees			
273	<i>A. manicatum</i>	(Linnaeus, 1758)	(1)5-8	locally widespread
274				
275	Chelastoma - solitary bees			
276	<i>C. campanularum</i>	(Kirby, 1802)	(1)6-8	locally common throughout S. England
277	<i>C. florissomne</i>	(Linnaeus, 1758)	(1)5-7	local, woodland edge
278				
279	Coelioxys - cuckoo bees			
280	<i>C. afra</i>	Lepeletier, 1841	(1)8	Guernsey
281	<i>C. conoidea</i>	(Illiger, 1806)	(1)6-8	Guernsey only
282	<i>C. elongata</i>	Lepeletier, 1841	(1)6-8	
283	<i>C. inermis</i>	(Kirby, 1802)	(1)6-9	
284	<i>C. mandibularis</i>	Nylander, 1848	(1)6-8	RDB, Coast dunes, NW/SW England, S. Wales
285	<i>C. quadridentata</i>	(Linnaeus, 1758)	(1)6-8	RDB,
286	<i>C. rufescens</i>	Lepeletier&Serville, 1825	(1)6-8	local
287				
288	Heriades - solitary bees			
289	<i>H. truncorum</i>	(Linnaeus 1758	(1)6-9	RDB, woodland edge
290				
291	Hoplitis - solitary bees			

	A	B	C	D
1	SPECIES	AUTHORITY	FLYING	NOTES
2				
3				
292	<i>H. claviventris</i>	(Thomson, 1872)	(1)5-8	scrub edge
293				
294	Megachile - leaf-cutter bees			
295	<i>M. centuncularis</i>	(Linnaeus, 1758)	(1)6-8	local, dune and heath
296	<i>M. circumcincta</i>	(Kirby, 1802)	(1)5-8	scarce, northern
297	<i>M. dorsalis</i>	Pérez, 1879	(1)6-8	scarce, sandy, coastal sites
298	<i>M. ligniseca</i>	(Kirby, 1802)	(1)6-8	
299	<i>M. maritima</i>	(Kirby, 1802)	(1)6-8	local, dune and heath
300	<i>M. versicolor</i>	Smith, 1844	(1)5-9	
301	<i>M. willoughbiella</i>	(Kirby, 1802)	(1)6-8	
302				
303	Osmia - mason bees			
304	<i>O. aurlenta</i>	(Panzer, 1799)	(1)4-8	scarce, in empty snail shells
305	<i>O. bicolor</i>	(Schrank, 1781)	(1)3-7	scarce, in empty snail shells
306	<i>O. bicornis (=rufa)</i>	(Linnaeus, 1758)	(1)3-7	
307	<i>O. caerulescens</i>	(Linnaeus, 1758)	(1)4-8	
308	<i>O. inermis</i>	(Zetterstedt, 1838)	(1)5-7	RDB, Scottish Highlands
309	<i>O. leaiana</i>	(Kirby, 1802)	(1)5-9	
310	<i>O. parietina</i>	Curtis, 1828	(1)5-7	RDB
311	<i>O. pilicornis</i>	Smith, 1846	(1)4-6	RDB
312	<i>O. spinulosa (=Hoplitis spinulosa)</i>	(Kirby)	(1)5-9	grassland
313	<i>O. uncinata</i>	Gerstäker, 1869	(1)5-6	RDB, open pinewood, Highlands
314	<i>O. xanthomelana</i>	(Kirby, 1802)	(1)4-7	RDB
315				
316	Stelis - cuckoo bees			
317	<i>S. breviscula</i>	(Nylander, 1848)	(1)7-8	RDB
318	<i>S. ornatula</i>	(Klug, 1807)	(1)5-8	RDB
319	<i>S. phaeoptera</i>	(Kirby, 1802)	(1)5-9	RDB
320	<i>S. punctulatissima</i>	(Kirby, 1802)	(1)6-8	scarce
321				
322	Melittidae			
323	Dasypoda - mining bees			

	A	B	C	D
1	SPECIES	AUTHORITY	FLYING	NOTES
2				
3				
324	<i>D. hirtipes</i>	(Fabricius, 1793)	(1)6-8	scarce, heath & dune
325				
326	Macropis - mining bees			
327	<i>M. europaea</i>	Warncke, 1973	(1)7-8	scarce, wetlands
328				
329	Melitta - mining bees			
330	<i>M. dimidiata</i>	Morawitz, 1876	(1)6-7	RDB, calcareous grass, Wilts
331	<i>M. haemorrhoidalis</i>	(Fabricius, 1775)	(1)7-8	local, grasslands
332	<i>M. leporina</i>	(Panzer, 1799)	(1)6-8	local, grasslands
333	<i>M. tricincta</i>	Kirby, 1802	(1)7-9	scarce, grasslands
334				
335				
336				
337				
338				
339				
340				
341				
342				
343				
344				
345				
346				
347				
348				
349				
350				
351				
352				
353				
354				
355				

	A	B	C	D
1	SPECIES	AUTHORITY	FLYING	NOTES
2				
3				
356				
357				
358				
359				
360				
361				
362				
363				
364				
365				
366				
367				
368				
369				
370				
371				
372				
373				
374				
375				
376				
377				
378				
379				
380				
381				
382				
383				
384				
385				
386				
387				

	A	B	C	D
1	SPECIES	AUTHORITY	FLYING	NOTES
2				
3				
388				
389				
390				
391				
392				
393				
394				
395				
396				
397				
398				
399				
400				
401				
402				
403				
404				
405				
406				
407				
408				
409				
410				
411				
412				
413				
414				
415				
416				
417				
418				
419				

	A	B	C	D
1	SPECIES	AUTHORITY	FLYING	NOTES
2				
3				
420				
421				
422				
423				
424				
425				
426				
427				
428				
429				
430				
431				
432				
433				
434				
435				
436				
437				
438				
439				
440				
441				
442				
443				
444				
445				
446				
447				
448				
449				
450				
451				

	A	B	C	D
1	SPECIES	AUTHORITY	FLYING	NOTES
2				
3				
452				
453				
454				
455				
456				
457				
458				
459				
460				
461				
462				
463				
464				
465				
466				
467				
468				
469				
470				
471				
472				
473				
474				
475				
476				
477				
478				
479				
480				
481				
482				
483				generations

	A	B	C	D
1	SPECIES	AUTHORITY	FLYING	NOTES
2				
3				
484			LEGEND	multiple
485			(m)	

	A	E	F	G	H	I
1	SPECIES	oligolectic	F	COLOUR - overall impression (F)		
2			L.mm	Head	Thorax	gaster
3						
4	Andrenidae					
5	Andrena - mining bees					
6	<i>A. alfkenella</i>	umbellifer	7-8	black	black	black+white bands
7	<i>A. angustior</i>		10-11	pale brown	tawny	black+tawny
8	<i>A. apicata</i>	sallow	12-15	pale+d'k brown	brown	brown
9	<i>A. argentata</i>	heathers	8-11	black	tawny	black+white bands
10	<i>A. barbilabris</i>		9-12	brown	tawny	black+cream bands
11	<i>A. bicolor</i>		9-11	black	tawny	black
12	<i>A. bimaculata</i>		12-14	brown	brown	brown+red-brown
13	<i>A. bucephala</i>		11-13	brown	brown	brown
14	<i>A. carantonica (=scotica)</i>		11-15	brown	brown	brown
15	<i>A. chrysoceles</i>	umbellifer	8-11	brown	brown	black+white bands
16	<i>A. cineraria</i>		12-15	blue-black	grey+black	Blue-black
17	<i>A. clarkella</i>	sallow	11-14	black	tawny	black
18	<i>A. coitana</i>		7-10	black	black	black+white bands
19	<i>A. congruens</i>		9-10	brown	tawny	black+white bands
20	<i>A. denticulata</i>	composites	10-12	brown	brown+black	brown+paler bands
21	<i>A. dorsata</i>		9-11	brown	tawny	black+white bands
22	<i>A. falsifica</i>		6-7	black	black	black+white bands
23	<i>A. ferox</i>	oak	10-13	brown	brown	brown+red-brown
24	<i>A. flavipes</i>		10-13	brown	brown	black+cream bands
25	<i>A. florea</i>	white bryony	12-13	brown	brown	brown+red-brown
26	<i>A. floricola</i>		7-8	black	black	black+white bands
27	<i>A. fucata</i>		10-13	brown	brown	brown
28	<i>A. fulva</i>		11-15	black	tawny+black	tawny
29	<i>A. fulvago</i>		9-11	brown	brown	brown+Gold tip
30	<i>A. fuscipes</i>	heathers	10-12	brown	brown	brown+paler bands
31	<i>A. gravida</i>		12-13	brown	brown	brown+cream bands
32	<i>A. haemorrhoea</i>		11-13	brown	Fox-red	brown+tawny tip
33	<i>A. hattorfiana</i>	field scabious	15-17	brown	brown	brown+/-red-brown
34	<i>A. helvola</i>		10-12	brown	brown	brown+paler bands
35	<i>A. humilis</i>	composites	11-12	brown	brown	brown+Gold tip

	A	E	F	G	H	I
1	SPECIES	oligolectic	F	COLOUR - overall impression (F)		
2			L.mm	Head	Thorax	gaster
3						
36	<i>A. labialis</i>	legumes	11-14	brown	brown	brown
37	<i>A. labiata</i>	speedwells	9-10	brown	brown	black+red
38	<i>A. lapponica</i>	bilberry	11-12	black	brown	brown+black
39	<i>A. lathyri</i>	legumes	12-13	brown	brown	brown+cream bands
40	<i>A. lepida</i>		9-11	brown	brown	brown+cream bands
41	<i>A. marginata</i>	Small scabious	9-12	brown	brown	brown+/-red-brown
42	<i>A. minutula</i>		6-8	black	black	black+white bands
43	<i>A. minutuloides</i>	umbellifers	6-8	black	black	black
44	<i>A. nana</i>		7-8	black	black	black+white bands
45	<i>A. nanula</i>		6-7	black	black	black+white bands
46	<i>A. nigriceps</i>	composites	10-13	black	brown	brown+paler bands
47	<i>A. nigroaenea</i>		12-15	brown	tawny	brown
48	<i>A. nigrospina</i>		11-15	black	black	black
49	<i>A. nitida</i>		12-16	black	tawny	black+white bands
50	<i>A. nitidiuscula</i>	umbellifers	8-9	black	black	black+white bands
51	<i>A. niveata</i>	crucifers	6-8	black	black	black+white bands
52	<i>A. ovatula</i>		8-12	brown	tawny?	black+white bands
53	<i>A. pillipes (s.l.)</i>		8-12	brown	tawny?	black+white bands
54	<i>A. pilipes (s.s.)</i>		11-15	black	black	black
55	<i>A. polita</i>		13-14	brown	brown	black+orange tip
56	<i>A. praecox</i>	sallow	7-12	brown	brown	brown+paler bands
57	<i>A. proxima</i>	umbellifers	8-10	black	black	black+white bands
58	<i>A. rosae</i>	umbellifers	11-14	brown	brown	brown+red-brown
59	<i>A. ruficrus</i>		10-11	brown	tawny	brown
60	<i>A. semilaevis</i>		6-8	black	black	black+white bands
61	<i>A. similis (= ocreata)</i>		10-12	brown	tawny	black+white bands
62	<i>A. simillima</i>		10-12	brown	brown	brown+paler bands
63	<i>A. strangulata</i>		12-13			
64	<i>A. subopaca</i>		6-8	black	black	black+white bands
65	<i>A. synadelpha</i>		9-12	brown	brown	brown
66	<i>A. tarsata</i>	cinquefoil	7-10	black	black	black
67	<i>A. thoracica</i>		12-16	black	tawny	black

	A	E	F	G	H	I
1	SPECIES	oligolectic	F	COLOUR - overall impression (F)		
2			L.mm	Head	Thorax	gaster
3						
68	<i>A. tibialis</i>		12-15	brown	brown	brown
69	<i>A. tridentata</i>		10-11	brown	brown	brown+paler bands
70	<i>A. trimmerana</i>		12-15	brown	brown	brown+red-brown
71	<i>A. vaga</i>	sallow	13-16	black	Grey	blue-black
72	<i>A. varians</i>	blackthorn	11-13	black	tawny	black+brown
73	<i>A. wilkella</i>		10-12	brown	brown	black+white bands
74						
75	Panurgus - mining bees					
76	<i>P. banksianus</i>	composites	10-12	black	black	black+brown tip
77	<i>P. calcaratus</i>	composites	7-9	black	black	black+brown tip
78						
79	Apidae					
80	Anthophora - solitary bees					
81	<i>A. bimaculata</i>		8-9	black	brown	black+cream bands
82	<i>A. furcata</i>		10.5-12	brown	brown	brown+orange tip
83	<i>A. plumipes</i>		14-16	black	black	black
84	<i>A. quadrimaculata</i>	labiates	11	black	brown	black+grey bands
85	<i>A. retusa</i>		13-14	black	black	black
86						
87	Apis - honey bees					
88	<i>A. mellifera</i>		13-17			
89						
90	Bombus - social bumblebees		(QW)			
91	<i>B. cryptarum</i>		9-16	black	black+yellow	black+yellow+white tail
92	<i>B. cullumanus</i>		mid-size	black	grey-yellow+black	grey-yellow+red
93	<i>B. distinguendus</i>		11-23	yellow	black+yellow	yellow
94	<i>B. hortorum</i>		11-20	black	black+yellow	black+yellow+white tail
95	<i>B. humilis</i>		9-18	tawny	tawny	tawny
96	<i>B. hypnorum</i>		8-18	black	brown	black+white tail
97	<i>B. jonellus</i>		10-17	black+yellow	black+yellow	black+yellow+white tail
98	<i>B. lapidarius</i>		11-22	black	black+yellow	black+orange tail
99	<i>B. lucorum s.l.</i>		9-20	black	black+yellow	black+yellow+white tail

	A	E	F	G	H	I
1	SPECIES	oligolectic	F	COLOUR - overall impression (F)		
2			L.mm	Head	Thorax	gaster
3						
100	<i>B. lucorum s.s.</i>		9-20	black	black+yellow	black+yellow+white tail
101	<i>B. magnus</i>		11-22	black	black+yellow	black+yellow+white tail
102	<i>B. monticola</i>		9-18	black	black+yellow	black+orange
103	<i>B. muscorum</i>		10-19	tawny	tawny	tawny
104	<i>B. pascurorum</i>		9-18	tawny	tawny	tawny, often black patches
105	<i>B. pratorum</i>		10-17	black	black+yellow	black+yellow+orange tail
106	<i>B. ruderarius</i>		9-18	black	black	black+orange tail
107	<i>B. ruderatus (1)</i>		11-23	black	black+yellow	black+yellow+white tail
108	<i>B. ruderatus (2)</i>		11-23	black	black	black
109	<i>B. soroeensis</i>		10-17	black	black+yellow	black+yellow+white tail
110	<i>B. subterraneus</i>		12-18	black	black+yellow	black+yellow+white tail
111	<i>B. sylvarum</i>		10-18	grey	grey+black	black+grey+orange tail
112	<i>B. terrestris</i>		11-22	black	black+yellow	black+yellow+white tail
113						
114	Bombus - cuckoo bumblebees		(F)			
115	<i>B. barbutellus</i>		17-19	black	black+yellow	black+yellow+white tail
116	<i>B. bohemicus</i>		18-25	black	black+yellow	black+yellow+white tail
117	<i>B. campestris (1)</i>		17-19	black+yellow	black+yellow	black+yellow tail
118	<i>B. campestris (2)</i>		17-19	black	black	black+yellow tail
119	<i>B. rupestris</i>		18-23	black	black	black+red tail
120	<i>B. sylvestris</i>		14-16	black	black+yellow	black+yellow+small red tip
121	<i>B. vestalis</i>		20-22	black	black+yellow	black+yellow+white tail
122						
123	Ceratina - carpenter bees					
124	<i>C. cyanea</i>		6-7	metallic blue	metallic blue	metallic blue
125						
126	Epeolus - cuckoo bees					
127	<i>E. cruciger</i>		5.5-7.5	black	black+yellow+orange	black+cream spots
128	<i>E. variegatus</i>		7-9	B+W spots	B+Br spots	black+cream spots
129						
130	Eucera - mining bees					
131	<i>E. longicornis</i>	legumes	14-16	brown	tawny	black+grey bands

	A	E	F	G	H	I
1	SPECIES	oligolectic	F	COLOUR - overall impression (F)		
2			L.mm	Head	Thorax	gaster
3						
132	<i>E. nigrescens</i>	legumes	13-15	brown	tawny	black+grey bands
133						
134	Melecta - cuckoo bees					
135	<i>M. albifrons</i>		14-16	grey	black+grey	black+grey+white spots
136	<i>M. luctuosa</i>		14-16	Bl/grey	black+grey	black+grey+white spots
137						
138	Nomada - cuckoo bees					
139	<i>N. argentata</i>		8-10	black	black+red spots	red+black
140	<i>N. armata</i>		9-14	black	black+red spots	orange+yellow spots
141	<i>N. baccata</i>		6-9	brown	brown+orange	orange+cream
142	<i>N. castellana</i>		5-9	black	black+red	black+red+yellow spots
143	<i>N. conjungens</i>		7-10	black	black+red	black+red+yellow spots
144	<i>N. errans</i>		6-8	black	black+white spot	dark red+white spots
145	<i>N. fabriciana</i>		7-11	black	black	red+black+yellow spots
146	<i>N. ferruginata</i>		8-10	black	black	red+yellow spots
147	<i>N. flava</i>		10-12	brown	brown+orange	brown+orange+yellow
148	<i>N. flavoguttata</i>		5-9	black	brown+red	black+red+yellow spots
149	<i>N. flavopicta</i>		8-11	black	black+yellow	black+yellow
150	<i>N. fucata</i>		9-12	black	black+yellow	black+orange+yellow
151	<i>N. fulvicornis</i>		9-14	black	black+yellow	black+yellow
152	<i>N. fuscicornis</i>		6-8	black	black	black+tawny bands
153	<i>N. goodeniana</i>		9-13	black	black+yellow	black+yellow
154	<i>N. guttulata</i>		7-9	brown	brown+red	black+red+yellow spots
155	<i>N. hirtipes</i>		9-12	black	black+red	black+orange+yellow spots
156	<i>N. integra</i>		8-9	black	black+red	black+red
157	<i>N. lathburiana</i>		9-12	brown	brown+yellow	black+orange+yellow
158	<i>N. leucothalma</i>		9-13	black	black+orange	brown+orange+yellow
159	<i>N. marshamella</i>		8-13	black	black+yellow	black+yellow
160	<i>N. obtusifrons</i>		6-9	black	black	black+red+yellow spots
161	<i>N. panzeri</i>		7-12	brown	brown+orange	brown+orange+yellow
162	<i>N. roberjeotiana</i>		6-9	black	black+orange	black+orange+yellow spots
163	<i>N. ruficornis</i>		8-12	brown	brown+red	brown+orange+yellow

	A	E	F	G	H	I
1	SPECIES	oligolectic	F	COLOUR - overall impression (F)		
2			L.mm	Head	Thorax	gaster
3						
164	<i>N. rufipes</i>		8-10	black	black+yellow	black+yellow
165	<i>N. rufipes</i>		8-10	black	black+yellow	black+orange+yellow
166	<i>N. sexfasciata</i>		11-15	black	black+yellow	black+yellow
167	<i>N. sheppardana</i>		1--12	black	black+red	black+red
168	<i>N. signata</i>		7-12	brown	brown+orange+yellow	brown+orange+yellow
169	<i>N. similis</i>		8-9	black	black	black+extensive tawny
170	<i>N. striata</i>		8-11	brown+orange	brown+orange	brown+orange+yellow spots
171						
172	Xylocopa - carpenter bees					
173	<i>X. violacea</i>		20-23	black	black	black
174						
175	Colletidae					
176	Colletes - mining bees					
177	<i>C. cunicularius</i>	salix	12-15	brown	brown	brown
178	<i>C. daviesanus</i>		9-11	gold	Gold	black+white bands
179	<i>C. floralis</i>		8-11	gold	gold	black + white bands
180	<i>C. fodiens</i>	composites	9-10	gold	gold	black+cream bands
181	<i>C. halophilus</i>	sea aster	11-14	gold	gold	black+cream bands
182	<i>C. hederæ</i>	ivy	11-18	gold	gold	black+ginger bands
183	<i>C. marginatus</i>		8-10	gold	gold	black+white bands
184	<i>C. similis</i>		8-12	gold	Gold	black+white bands
185	<i>C. succinctus</i>	heathers	10-13	gold	Gold	black+white bands
186						
187	Hylaeus - solitary bees					
188	<i>H. brevicornis</i>		5-6	black+cream	black+cream	black
189	<i>H. communis</i>		5-7	black+Yellow	black+ yellow	black
190	<i>H. confusus</i>		6-8	black+Yellow	black+yellow	black
191	<i>H. cornutus</i>		6-8	black	black+yellow	black
192	<i>H. dilatatus (= annularis)</i>		5-7	black+yellow	black+yellow	black
193	<i>H. hyalinatus</i>		4-7	black+cream	black+cream	black
194	<i>H. incongruus (= gibbus)</i>		6-8	black+Yellow	black+yellow	black
195	<i>H. pectoralis</i>		6-8	black+yellow	black+yellow	black

	A	E	F	G	H	I
1	SPECIES	oligolectic	F	COLOUR - overall impression (F)		
2			L.mm	Head	Thorax	gaster
3						
196	<i>H. pictipes</i>		4-5	black+cream	black+cream	black
197	<i>H. punctulatissimus</i>		7-8	black+Yellow	black+yellow	black
198	<i>H. signatus</i>	reseda spp	6-8	black+cream	black+cream	black
199	<i>H. spilotus</i>		5-7	black+yellow	black+yellow	black
200						
201	Dufourea - mining bees					
202	<i>D. halictula</i>		4-5	black	black	black
203	<i>D. minuta</i>		6	black	black	black
204						
205	Halictus - mining bees					
206	<i>H. confusus</i>		7-8	bronzy green	bronzy green	bronzy green+white bands
207	<i>H. eurygnathus</i>		10-12	brown	brown	brown+white bands
208	<i>H. quadricinctus</i>		12-15	brown	brown	brown+white bands
209	<i>H. rubicundus</i>		9-11	brown	tawny	black+white bands
210	<i>H. scabiosae</i>		12-15	brown	brown	black+white bands
211	<i>H. subauratus</i>		8-9	Bronzy green	Bronzy green	bronzy green+white bands
212	<i>H. tumulorum</i>		6-7	Bronzy Green	Bronzy Green	bronzy green+white bands
213						
214	Lasioglossum - mining bees					
215	<i>L. albipes</i>		7-9	brown	brown	brown+yellow-brown
216	<i>L. angusticeps</i>		6-7	brown	brown	brown+white bands
217	<i>L. brevicorne</i>	composites	6-7	brown	brown	brown
218	<i>L. calceatum</i>		8-10	brown	brown	brown+yellow-brown
219	<i>L. cupromicans</i>		6-7	metallic green	metallic green	black+white bands
220	<i>L. fratellum</i>		6-9	brown	brown	brown+white bands
221	<i>L. fulvicorne</i>		6-8	brown	brown	brown+white bands
222	<i>L. laeva</i>					
223	<i>L. laevigatum</i>		8-10	Tawny	tawny	brown+cream bands
224	<i>L. laticeps</i>		7-8	brown	brown	brown+yellow-brown
225	<i>L. lativentre</i>		7-8	brown	brown	black+white bands
226	<i>L. leucopus</i>		5-6	metallic green	metallic green	black
227	<i>L. leucozonium</i>		8-10	black	black	black+white bands

	A	E	F	G	H	I
1	SPECIES	oligolectic	F	COLOUR - overall impression (F)		
2			L.mm	Head	Thorax	gaster
3						
228	<i>L. limbellum</i>		5-7	brown	brown	brown+yellow-brown
229	<i>L. malachurum</i>		7-10	brown	brown	brown+yellow-brown
230	<i>L. minutissimum</i>		5-6	brown	brown	brown
231	<i>L. morio</i>		5-6	metallic green	metallic green	black
232	<i>L. nitidiusculum</i>		6-7	brown	brown	brown
233	<i>L. parvulum</i>		6-7	brown	brown	brown
234	<i>L. pauperatum</i>		5-6	brown	brown	brown
235	<i>L. pauxillum</i>		6-7	brown	brown	brown
236	<i>L. prasinum</i>		7-10	dark green	dark green	brown
237	<i>L. punctatissimum</i>		6-7	brown	brown	brown
238	<i>L. puncticolle</i>		6-8	brown	brown	brown
239	<i>L. quadrinotatum</i>		7-8	brown	brown	black+white bands
240	<i>L. rufitarse</i>		7-8	brown	brown	brown
241	<i>L. semilucens</i>		5	brown	brown	brown
242	<i>L. sexnotatum</i>		9-12	black	black	black+white bands
243	<i>L. sexstrigatum</i>					
244	<i>L. smeathmanellum</i>		6-7	metallic green	metallic green	metallic green
245	<i>L. villosulum</i>		6-7	brown	brown	brown
246	<i>L. xanthopus</i>		10-12	brown	tawny	black+white bands
247	<i>L. zonulum</i>		8-11	black	brown	black+white bands
248						
249	Rophites - mining bees					
250	<i>R. quinquespinosus</i>		9	black	black	black+white bands
251						
252	Sphecodes - cuckoo bees					
253	<i>S. crassus</i>		7-9	black	black	red+black tip
254	<i>S. ephippius</i>		5-10	black	black	red+black tip
255	<i>S. ferruginatus</i>		6-8	black	black	red+black tip
256	<i>S. geoffrellus</i>		5-7	black	black	red+black tip
257	<i>S. gibbus</i>		9-12	black	black	red+black tip
258	<i>S. hyalinatus</i>		5-7	black	black	red+black tip
259	<i>S. longulus</i>		4-6	black	black	red+black tip

	A	E	F	G	H	I
1	SPECIES	oligolectic	F	COLOUR - overall impression (F)		
2			L.mm	Head	Thorax	gaster
3						
260	<i>S. marginatus</i>		5-7	black	black	red+black tip
261	<i>S. miniatus</i>		5-6	black	black	red+black tip
262	<i>S. monilicornis</i>		8-12	black	black	red+black tip
263	<i>S. niger</i>		5-6	black	black	red+black tip
264	<i>S. pellucidus</i>		8-10	black	black	red+black tip
265	<i>S. puncticeps</i>		6-8	black	black	red+black tip
266	<i>S. reticulatus</i>		9-10	black	black	red+black tip
267	<i>S. rubicundus</i>		9-10	black	black	red+black tip
268	<i>S. scabricollis</i>		9-10	black	black	red+black tip
269	<i>S. spinulosus</i>		10-11	black	black	red+black tip
270						
271	Megachilidae					
272	Anthidium - carder bees					
273	<i>A. manicatum</i>		9-12	black	black	black+gold spots
274						
275	Chelastoma - solitary bees					
276	<i>C. campanularum</i>	campanula spp	5-7	black	black	black
277	<i>C. florisomne</i>	buttercup spp	8-11	black	black	black+white bands
278						
279	Coelioxys - cuckoo bees					
280	<i>C. afra</i>		8-10	tawny	brown+tawny dusting	black+white spots
281	<i>C. conoidea</i>		11-15	black	black+white	black+white spots
282	<i>C. elongata</i>		11-15	black	brown	black+white bands
283	<i>C. inermis</i>		10-14	black	brown	black+white bands
284	<i>C. mandibularis</i>		8-13	brown	brown	black+white spots
285	<i>C. quadridentata</i>		10-14	brown	brown	black+white bands
286	<i>C. rufescens</i>		10-16	brown	brown	black+white bands
287						
288	Heriades - solitary bees					
289	<i>H. truncorum</i>	composites	5-9	black	black	black+white bands
290						
291	Hoplitis - solitary bees					

	A	E	F	G	H	I
1	SPECIES	oligolectic	F	COLOUR - overall impression (F)		
2			L.mm	Head	Thorax	gaster
3						
292	<i>H. claviventris</i>		6-10	black	black	black+white bands
293						
294	Megachile - leaf-cutter bees					
295	<i>M. centuncularis</i>		9-12	black	brown	black+white bands
296	<i>M. circumcincta</i>		11-15	black	brown	brown
297	<i>M. dorsalis</i>		9-11	brown	brown	black+white bands
298	<i>M. ligniseca</i>		15-18	brown	brown	brown
299	<i>M. maritima</i>		11-16	brown	brown	brown+cream bands
300	<i>M. versicolor</i>		10-13	brown	brown	brown
301	<i>M. willoughbiella</i>		12-15	brown	brown	brown
302						
303	Osmia - mason bees					
304	<i>O. aurulenta</i>		7-11	brown	tawny	black+tawny bands
305	<i>O. bicolor</i>		8-12	black	black	red
306	<i>O. bicornis (=rufa)</i>		9-14	black	tawny	tawny
307	<i>O. caerulescens</i>		7-11	metallic blue	metallic blue	metallic blue+white bands
308	<i>O. inermis</i>	Lotus corniculatus	8-10	tawny	tawny	black
309	<i>O. leaiana</i>		9-12	brown	brown	brown+white bands
310	<i>O. parietina</i>	Lotus corniculatus	9-10	brown	brown	black
311	<i>O. pilicornis</i>		8-12	black	tawny	black&tawny
312	<i>O. spinulosa (=Hoplitis spinulosa)</i>		6-9	brown	brown	black+white bands
313	<i>O. uncinata</i>	Lotus corniculatus	9-10	brown	tawny	black
314	<i>O. xanthomelana</i>	Lotus corniculatus	12-13	black	tawny	tawny & black
315						
316	Stelis - cuckoo bees					
317	<i>S. breviscula</i>		5-7	black	black	black+white bands
318	<i>S. ornatula</i>		6-8	black	black	black+yellow spots
319	<i>S. phaeoptera</i>		6-10	black	black	black
320	<i>S. punctulatissima</i>		7-11	black	brown	brown+paler bands
321						
322	Melittidae					
323	Dasypoda - mining bees					

	A	E	F	G	H	I
1	SPECIES	oligolectic	F	COLOUR - overall impression (F)		
2			L.mm	Head	Thorax	gaster
3						
324	<i>D. hirtipes</i>	composites	12-15	brown	tawny	black+white bands
325						
326	Macropis - mining bees					
327	<i>M. europaea</i>	yellow loosestrife	8-9	black	black	black+white bands
328						
329	Melitta - mining bees					
330	<i>M. dimidiata</i>	Onobrychis vivifolia	13-15	black	tawny	black+white bands
331	<i>M. haemorrhoidalis</i>	Campanula	10-12	black	brown	brown+orange tip
332	<i>M. leporina</i>	Fabaceae spp	10-12	black	brown	black+tawny bands
333	<i>M. tricincta</i>	Odontites verna	10-12	black	brown	black+tawny bands
334						
335						
336						
337						
338						
339						
340						
341						
342						
343						
344						
345						
346						
347						
348						
349						
350						
351						
352						
353						
354						
355						

	A	E	F	G	H	I
1	SPECIES	oligolectic	F	COLOUR - overall impression (F)		
2			L.mm	Head	Thorax	gaster
3						
356						
357						
358						
359						
360						
361						
362						
363						
364						
365						
366						
367						
368						
369						
370						
371						
372						
373						
374						
375						
376						
377						
378						
379						
380						
381						
382						
383						
384						
385						
386						
387						

	A	E	F	G	H	I
1	SPECIES	oligolectic	F	COLOUR - overall impression (F)		
2			L.mm	Head	Thorax	gaster
3						
388						
389						
390						
391						
392						
393						
394						
395						
396						
397						
398						
399						
400						
401						
402						
403						
404						
405						
406						
407						
408						
409						
410						
411						
412						
413						
414						
415						
416						
417						
418						
419						

	A	E	F	G	H	I
1	SPECIES	oligolectic	F	COLOUR - overall impression (F)		
2			L.mm	Head	Thorax	gaster
3						
420						
421						
422						
423						
424						
425						
426						
427						
428						
429						
430						
431						
432						
433						
434						
435						
436						
437						
438						
439						
440						
441						
442						
443						
444						
445						
446						
447						
448						
449						
450						
451						

	A	E	F	G	H	I
1	SPECIES	oligolectic	F	COLOUR - overall impression (F)		
2			L.mm	Head	Thorax	gaster
3						
452						
453						
454						
455						
456						
457						
458						
459						
460						
461						
462						
463						
464						
465						
466						
467						
468						
469						
470						
471						
472						
473						
474						
475						
476						
477						
478						
479						
480						
481						
482						
483						

	A	E	F	G	H	I
1	SPECIES	oligolectic	F	COLOUR - overall impression (F)		
2			L.mm	Head	Thorax	gaster
3						
484						
485						

	A	J	K	L	M	N
1	SPECIES		M	COLOUR - overall impression (M)		
2		pollen brush	L.mm	Head	Thorax	Gaster
3		location, colour				
4	Andrenidae					
5	Andrena - mining bees					
6	<i>A. alfkenella</i>	leg, grey	5-7	black	black	black+white bands
7	<i>A. angustior</i>	leg, gold	8-10	pale brown	tawny	black+Tawny
8	<i>A. apicata</i>	leg, pale brown	10-13	brown	brown	brown
9	<i>A. argentata</i>	leg, dirty yellow	7-9	Grey+White	grey+white	black+white bands
10	<i>A. barbilabris</i>	leg, dirty yellow	8-11	Grey	grey	black
11	<i>A. bicolor</i>	leg, gold	7-10	black	Brown	black
12	<i>A. bimaculata</i>	leg, brown	10-12	Brown	brown	brown+red-brown
13	<i>A. bucephala</i>	leg, yellow	9-13	brown	brown	brown
14	<i>A. carantonica (=scotica)</i>	leg, brown+cream	10-13	brown	brown	brown
15	<i>A. chrysosceles</i>	leg, yellow	7-9	black+cream	brown	black+white bands
16	<i>A. cineraria</i>	leg, grey	9-14	blue-black	black+grey	blue-black
17	<i>A. clarkella</i>	leg, gold	9-13	black	tawny	dark brown
18	<i>A. coitana</i>	leg, grey	6-9	black+cream	black	black+white bands
19	<i>A. congruens</i>	leg, gold	7-10	black	tawny	black+white bands
20	<i>A. denticulata</i>	leg, yellow	8-10	brown	brown	brown
21	<i>A. dorsata</i>	leg, gold	7-9	brown	Tawny	black+white bands
22	<i>A. falsifica</i>	leg, grey	6-7	black	black	black+white bands
23	<i>A. ferox</i>	leg, dirty yellow	10-12	Brown	Brown	brown+red-brown
24	<i>A. flavipes</i>	leg, gold	9-12	Brown	Brown	black+cream bands
25	<i>A. florea</i>	leg, dirty yellow	10-13	Brown	Brown	brown+red-brown
26	<i>A. floricola</i>	leg, grey	6-7	black	black	black+white bands
27	<i>A. fucata</i>	leg, dirty yellow	8-11	brown	brown	brown
28	<i>A. fulva</i>	leg, Black	9-13	brown	Brown	brown
29	<i>A. fulvago</i>	leg, golden.	8-11	brown	brown	brown
30	<i>A. fuscipes</i>	leg, Brown	8-9	brown	brown	brown
31	<i>A. gravida</i>	leg, Gold	10-13	brown	Brown	black+cream bands
32	<i>A. haemorrhoea</i>	leg, yellow	9-11	brown	tawny	brown+tawny tip
33	<i>A. hattorfiana</i>	leg, Gold	13-15	brown	brown	brown+/-red-brown
34	<i>A. helvola</i>	leg, dirty yellow	7-11	brown	brown	brown
35	<i>A. humilis</i>	leg, gold	9-11	brown+cream	brown	brown

	A	J	K	L	M	N
1	SPECIES		M	COLOUR - overall impression (M)		
2		pollen brush	L.mm	Head	Thorax	Gaster
3		location, colour				
36	<i>A. labialis</i>	leg, gold	9-13	brown+cream	brown	brown
37	<i>A. labiata</i>	leg, yellow	7-9	brown+cream	brown	black+red
38	<i>A. lapponica</i>	leg, black+white	8-12	brown	brown	brown
39	<i>A. lathyri</i>	leg, gold	10-14	brown	brown	brown+cream bands
40	<i>A. lepida</i>	leg, gold	7-9	brown	brown	brown+cream bands
41	<i>A. marginata</i>	leg, dirty yellow	7-10	brown+cream	brown	brown+/-red-brown
42	<i>A. minutula</i>	leg, grey	5-7	black	black	black+white bands
43	<i>A. minutuloides</i>	leg, grey	6-7	black	black	black
44	<i>A. nana</i>	leg, grey	5-7	black	black	black+white bands
45	<i>A. nanula</i>	leg, grey	5-7	black	black	black+white bands
46	<i>A. nigriceps</i>	leg, dark brown	9-12	brown	brown	brown
47	<i>A. nigroaenea</i>	leg, gold	10-13	brown	brown	brown
48	<i>A. nigrospina</i>	leg, black	11-15	black	grey	black
49	<i>A. nitida</i>	leg, brown+grey	????	white+brown	Tawny	brown
50	<i>A. nitidiuscula</i>	leg, grey	6-8	black	black	black+white bands
51	<i>A. niveata</i>	leg, grey	6-7	black	black	black+white bands
52	<i>A. ovatula</i>	leg, gold	7-9	brown	brown	black+white bands
53	<i>A. pillipes (s.l.)</i>	leg, gold	7-9	brown	brown	black+white bands
54	<i>A. pilipes (s.s.)</i>	leg, black	11-15	black	brown	black
55	<i>A. polita</i>	leg, golden.	11-14	brown	brown	black+orange tip
56	<i>A. praecox</i>	leg, yellow	7-11	brown	brown	brown
57	<i>A. proxima</i>	leg, grey	8-10	black	black	black+white bands
58	<i>A. rosae</i>	leg, brown+cream	10-13	Brown	Brown	brown+red-brown
59	<i>A. ruficrus</i>	leg, gold	8-10	brown	brown	brown
60	<i>A. semilaevis</i>	leg, grey	6-7	black	black	black+white bands
61	<i>A. similis (= ocreata)</i>	leg, gold	9-10	brown	tawny	black+white bands
62	<i>A. simillima</i>	leg, black	9-11	brown	brown	brown
63	<i>A. strangulata</i>		10-11			
64	<i>A. subopaca</i>	leg, grey	5-7	black	black	black+white bands
65	<i>A. synadelpha</i>	leg, dirty yellow	7-11	brown	brown	brown
66	<i>A. tarsata</i>	leg, yellow	6-9	black+cream	black	black
67	<i>A. thoracica</i>	leg, black	11-14	brown	tawny	black

	A	J	K	L	M	N
1	SPECIES		M	COLOUR - overall impression (M)		
2		pollen brush	L.mm	Head	Thorax	Gaster
3		location, colour				
68	<i>A. tibialis</i>	leg, gold	11-14	Brown	brown	brown
69	<i>A. tridentata</i>	leg, black	10	brown	brown	brown
70	<i>A. trimmerana</i>	leg, brown+cream	10-13	brown	brown	brown+red-brown
71	<i>A. vaga</i>	leg, black	11-14	black	grey	blue-black
72	<i>A. varians</i>	leg, black+white	7-11	black	tawny	black
73	<i>A. wilkella</i>	leg, gold	8-10	Brown	brown	black+white bands
74						
75	Panurgus - mining bees					
76	<i>P. banksianus</i>	leg, gold	10-12	black	black	black
77	<i>P. calcaratus</i>	leg, gold	6-9	black	black	black
78						
79	Apidae					
80	Anthophora - solitary bees					
81	<i>A. bimaculata</i>	leg, grey	9-11	tawny	tawny	black+cream bands
82	<i>A. furcata</i>	leg, orange	10.5-12	brown	brown	brown
83	<i>A. plumipes</i>	leg, orange	14-16	tawny	tawny	tawny+black
84	<i>A. quadrimaculata</i>	leg, grey	40857	black	grey	black+grey bands
85	<i>A. retusa</i>	leg, orange	13-15	grey	dirty yellow	black+grey bands
86						
87	Apis - honey bees					
88	<i>A. mellifera</i>		13-17			
89						
90	Bombus - social bumblebees		(M)			
91	<i>B. cryptarum</i>	leg, black	13-16	black	black+yellow	black+yellow+white tail
92	<i>B. cullumanus</i>	leg, black+yellow	13-14.5	grey-yellow	yellow+black+yellow	yellow+black+red
93	<i>B. distinguendus</i>	leg, black	11-13	yellow	black+yellow	yellow
94	<i>B. hortorum</i>	leg, black	13-15	black	black+yellow	black+yellow+white tail
95	<i>B. humilis</i>	leg, brown	13-15	tawny	tawny	tawny
96	<i>B. hypnorum</i>	leg, brown	14-16	tawny	brown	tawny+black+white tail
97	<i>B. jonellus</i>	leg, orange or black	12-14	yellow	black+yellow	black+yellow+white tail
98	<i>B. lapidarius</i>	leg, black	14-16	black+yellow	black+yellow	black+red
99	<i>B. lucorum s.l.</i>	leg, black	14-16	yellow	black+yellow	black+yellow+white tail

	A	J	K	L	M	N
1	SPECIES		M	COLOUR - overall impression (M)		
2		pollen brush	L.mm	Head	Thorax	Gaster
3		location, colour				
100	<i>B. lucorum s.s.</i>	leg, black	14-16	yellow	black+yellow	black+yellow+white tail
101	<i>B. magnus</i>	leg, black	14-16	yellow	black+yellow	black+yellow+white tail
102	<i>B. monticola</i>	leg, black	14-15	yellow	black+yellow	black+orange
103	<i>B. muscorum</i>	leg, brown	13-15	tawny	tawny	tawny
104	<i>B. pascurorum</i>	leg, brown	12-14	tawny	tawny	tawny, often black patches
105	<i>B. pratorum</i>	leg, orange or black	11-13	yellow	black+yellow	black+yellow+orange tail
106	<i>B. ruderarius</i>	leg, orange	12-14	black	black+khaki	black+red tail
107	<i>B. ruderatus (1)</i>	leg, black	15-17	black	black+yellow	black+yellow+white tail
108	<i>B. ruderatus (2)</i>	leg, black	15-17	black	black+yellow	black
109	<i>B. soroeensis</i>	leg, black	12-14	black+yellow	black+yellow	black+yellow+white tail
110	<i>B. subterraneus</i>	leg, black	15-16	yellow	black+yellow	black+yellow
111	<i>B. sylvarum</i>	leg, grey	12-14	grey	grey+black	black+grey+orange tail
112	<i>B. terrestris</i>	leg, black	14-16	black	black+yellow	black+yellow+white tail
113						
114	Bombus - cuckoo bumblebees					
115	<i>B. barbutellus</i>	none	15-17	black	black+yellow	black+yellow+white tail
116	<i>B. bohemicus</i>	none	15-18	black	black+yellow	black+yellow+white tail
117	<i>B. campestris (1)</i>	none	15-16	black+yellow	black+yellow	black+yellow tail
118	<i>B. campestris (2)</i>	none	15-15	black	black	black+yellow tail
119	<i>B. rupestris</i>	none	14-17	black	black+yellow	black+yellow+red tail
120	<i>B. sylvestris</i>	none	13-15	black	black+yellow	black+yellow+small red tip
121	<i>B. vestalis</i>	none	15-17	black	black+yellow	black+yellow+white tail
122						
123	Ceratina - carpenter bees					
124	<i>C. cyanea</i>	leg, grey	6-7	metallic blue	metallic blue	metallic blue
125						
126	Epeolus - cuckoo bees					
127	<i>E. cruciger</i>	none	5.5-7.5	black	black+cream	black+cream spots
128	<i>E. variegatus</i>	none	6.5-8	black	black+cream	black+cream spots
129						
130	Eucera - mining bees					
131	<i>E. longicornis</i>	leg, orange	14-16	tawny	tawny	black+tawny

	A	J	K	L	M	N
1	SPECIES		M	COLOUR - overall impression (M)		
2		pollen brush	L.mm	Head	Thorax	Gaster
3		location, colour				
132	<i>E. nigrescens</i>	leg, orange	14-16	tawny	tawny	black+tawny
133						
134	Melecta - cuckoo bees					
135	<i>M. albifrons</i>	none	12-17	grey	black & grey	black+grey+white spots
136	<i>M. luctuosa</i>	none	14-16	grey	black+grey	black+grey+white spots
137						
138	Nomada - cuckoo bees					
139	<i>N. argentata</i>	none	7-9	black	black	red+black
140	<i>N. armata</i>	none	11-13	black	black+orange	black+yellow+orange
141	<i>N. baccata</i>	none	6-8	black	black+orange	orange+cream
142	<i>N. castellana</i>	none	5-8	black	black+red	black+red+yellow spots
143	<i>N. conjungens</i>	none	7-10	black	black+red	black+red+yellow spots
144	<i>N. errans</i>	none	6-7	black	black+white spot	dark red+white spots
145	<i>N. fabriciana</i>	none	6-11	black	black	black+red+yellow spots
146	<i>N. ferruginata</i>	none	7-9	black	black	black+orange+yellow
147	<i>N. flava</i>	none	7-12	brown	brown+orange	brown+orange+yellow
148	<i>N. flavoguttata</i>	none	5-8	black	black+red	black+red+yellow spots
149	<i>N. flavopicta</i>	none	8-11	black	black+yellow	black+yellow
150	<i>N. fucata</i>	none	8-11	black	black+yellow	black+orange+yellow
151	<i>N. fulvicornis</i>	none	10-12	black	black	black+yellow
152	<i>N. fuscicornis</i>	none	5-8	black	black	black+tawny bands+yellow
153	<i>N. goodeniana</i>	none	9-13	black	black+yellow	black+yellow
154	<i>N. guttulata</i>	none	7-9	black	black+red	black+red+yellow spots
155	<i>N. hirtipes</i>	none	9-11	black	black	black+orange+yellow spots
156	<i>N. integra</i>	none	7-10	black	black	black+red
157	<i>N. lathburiana</i>	none	9-11	brown	brown+yellow	black+orange+yellow
158	<i>N. leucothalma</i>	none	8-13	black	black	brown+orange+yellow
159	<i>N. marshamella</i>	none	8-12	black	black+yellow	black+yellow
160	<i>N. obtusifrons</i>	none	6-8	black	black	black+red+yellow spots
161	<i>N. panzeri</i>	none	7-12	brown	brown	brown+orange+yellow
162	<i>N. roberjeotiana</i>	none	7-8	black	black+orange	black+orange+yellow spots
163	<i>N. ruficornis</i>	none	7-11	brown	brown	brown+orange+yellow

	A	J	K	L	M	N
1	SPECIES		M	COLOUR - overall impression (M)		
2		pollen brush	L.mm	Head	Thorax	Gaster
3		location, colour				
164	<i>N. rufipes</i>	none	7-10	black	black+yellow	black+yellow
165	<i>N. rufipes</i>	none	7-10			
166	<i>N. sexfasciata</i>	none	12-15	black	black+yellow	black+yellow
167	<i>N. sheppardana</i>	none	5-6	black	black	brown+yellow spots
168	<i>N. signata</i>	none	10-12	brown	brown+red	brown+orange+yellow
169	<i>N. similis</i>	none	7-9	black	black	black+much tawny+bands
170	<i>N. striata</i>	none	7-10	black	black+orange	brown+orange+yellow spots
171						
172	Xylocopa - carpenter bees					
173	<i>X. violacea</i>	leg, black	20-22	black	black	black
174						
175	Colletidae					
176	Colletes - mining bees					
177	<i>C. cunicularius</i>	leg, pale brown	12-15	brown	brown	brown
178	<i>C. daviesanus</i>	leg, pale brown	8-9	gold	gold	black+white bands
179	<i>C. floralis</i>	leg, pale brown	8-11	gold	gold	black+white bands
180	<i>C. fodiens</i>	leg, pale brown	9-10	gold	gold	black+cream bands
181	<i>C. halophilus</i>	leg, pale brown	8-12	gold	gold	black+cream bands
182	<i>C. hederæ</i>	leg, pale brown	8-15	gold	gold	black+ginger bands
183	<i>C. marginatus</i>	leg, pale brown	7-9	gold	gold	black+white bands
184	<i>C. similis</i>	leg, pale brown	8-10	gold	gold	black+white bands
185	<i>C. succinctus</i>	leg, pale brown	7-11	gold	gold	black+white bands
186						
187	Hylaeus - solitary bees					
188	<i>H. brevicornis</i>	none	4-6	black+cream	black+cream	black
189	<i>H. communis</i>	none	5-7	black+yellow	black+yellow	black
190	<i>H. confusus</i>	none	6-7	black+yellow	black+yellow	black
191	<i>H. cornutus</i>	none	6-7	black+yellow	black+yellow	black
192	<i>H. dilatatus (= annularis)</i>	none	4-6	black+yellow	black+yellow	black
193	<i>H. hyalinatus</i>	none	4-7	black+cream	black+cream	black
194	<i>H. incongruus (= gibbus)</i>	none	6-8	black+yellow	black+yellow	black
195	<i>H. pectoralis</i>	none	6-8	black+yellow	black+yellow	black

	A	J	K	L	M	N
1	SPECIES		M	COLOUR - overall impression (M)		
2		pollen brush	L.mm	Head	Thorax	Gaster
3		location, colour				
196	<i>H. pictipes</i>	none	4-5	black+cream	black+ cream	black
197	<i>H. punctulatissimus</i>	none	7-8	black+yellow	black+yellow	black
198	<i>H. signatus</i>	none	6-8	black+cream	black+cream	black
199	<i>H. spilotus</i>	none	5-7	black+yellow	black+yellow	black
200						
201	Dufourea - mining bees					
202	<i>D. halictula</i>	leg, grey	4-5?	black	black	black
203	<i>D. minuta</i>	leg, grey	5-6	black	black	black
204						
205	Halictus - mining bees					
206	<i>H. confusus</i>	leg, grey	7-9	bronzy green	bronzy green	bronzy green
207	<i>H. eurygnathus</i>	leg, grey	9-10	brown	brown	brown+white bands
208	<i>H. quadricinctus</i>	leg, dirty yellow	14-20	brown	brown	brown+white bands
209	<i>H. rubicundus</i>	leg, gold	9-11	brown	Tawny	black+white bands
210	<i>H. scabiosae</i>	leg, dirty yellow	13-15	brown	brown	black+white bands
211	<i>H. subauratus</i>	leg, grey	7-9	Bronzy green	bronzy green	bronzy green
212	<i>H. tumulorum</i>	leg, grey	6-8	Bronzy green	bronzy Green	black+pale bands
213						
214	Lasioglossum - mining bees					
215	<i>L. albipes</i>	leg, dirty yellow	7-9	brown+yellow	brown	brown+yellow+red
216	<i>L. angusticeps</i>	leg, dirty yellow	6-7	brown+yellow	brown	brown+white bands
217	<i>L. brevicorne</i>	leg, grey	6	brown	brown	brown
218	<i>L. calceatum</i>	leg, dirty yellow	8-11	brown+yellow	brown	brown+yellow+red
219	<i>L. cupromicans</i>	leg, grey	6-8	metallic green	metallic green	black
220	<i>L. fratellum</i>	leg, dirty yellow	6-9	brown+yellow	brown	brown+white bands
221	<i>L. fulvicorne</i>	leg, dirty yellow	6-8	brown+yellow	dark brown	brown+white bands
222	<i>L. laeva</i>					
223	<i>L. laevigatum</i>	leg, yellow	7-9	brown	tawny	brown+white bands
224	<i>L. laticeps</i>	leg, grey	6-9	brown+yellow	brown	brown+red
225	<i>L. lativentre</i>	leg, grey	7-8	brown	brown	black+white bands
226	<i>L. leucopus</i>	leg, grey	5-6	metallic green	metallic green	black
227	<i>L. leucozonium</i>	leg, grey	7-9	black	black+pale hairs	black+white bands

	A	J	K	L	M	N
1	SPECIES		M	COLOUR - overall impression (M)		
2		pollen brush	L.mm	Head	Thorax	Gaster
3		location, colour				
228	<i>L. limbellum</i>	leg, dirty yellow	6	brown	brown	brown
229	<i>L. malachurum</i>	leg, dirty yellow	6-10	brown+yellow	brown+yellow	brown
230	<i>L. minutissimum</i>	leg, grey	4-6	dark brown	brown	brown
231	<i>L. morio</i>	leg, grey	5-7	metallic green	metallic green	black
232	<i>L. nitidiusculum</i>	leg, grey	7	brown	brown	brown
233	<i>L. parvulum</i>	leg, grey	6-7	brown	brown	brown
234	<i>L. pauperatum</i>	leg, grey	5-6	brown	brown	brown
235	<i>L. pauxillum</i>	leg, grey	6-7	brown	brown	brown
236	<i>L. prasinum</i>	leg, grey	7-9	dark green	dark green	brown+blood-red tip
237	<i>L. punctatissimum</i>	leg, grey	5-7	brown	brown	brown
238	<i>L. puncticolle</i>	leg, grey	6-8	brown	brown	brown
239	<i>L. quadrinotatum</i>	leg, grey	6-8	brown	brown	black+white bands
240	<i>L. rufitarse</i>	leg, grey	7-8	brown	brown	brown
241	<i>L. semilucens</i>	leg, grey	4-5	brown	brown	brown
242	<i>L. sexnotatum</i>	leg, grey	9-10	black	black	black+white bands
243	<i>L. sexstrigatum</i>					
244	<i>L. smeathmanellum</i>	leg, grey	6-7	metallic green	metallic green	metallic green
245	<i>L. villosulum</i>	leg, grey		brown	brown	brown
246	<i>L. xanthopus</i>	leg, gold	9-12	brown	tawny	black+white bands
247	<i>L. zonulum</i>	leg, grey	7-10	black	brown	black+white bands
248						
249	Rophites - mining bees					
250	<i>R. quinquespinosus</i>	leg	9	black	black	black+white bands
251						
252	Sphecodes - cuckoo bees					
253	<i>S. crassus</i>	none	5-8	black	black	red+black tip
254	<i>S. ephippius</i>	none	6-8	black	black	red+black tip
255	<i>S. ferruginatus</i>	none	7-9	black	black	red+black tip
256	<i>S. geoffrellus</i>	none	5-8	black	black	red+black tip
257	<i>S. gibbus</i>	none	7-11	black	black	red+black tip
258	<i>S. hyalinatus</i>	none	5-7	black	black	red+black tip
259	<i>S. longulus</i>	none	4-6	black	black	red+black tip

	A	J	K	L	M	N
1	SPECIES		M	COLOUR - overall impression (M)		
2		pollen brush	L.mm	Head	Thorax	Gaster
3		location, colour				
260	<i>S. marginatus</i>	none	5-7	black	black	red+black tip
261	<i>S. miniatus</i>	none	5-6	black	black	red+black tip
262	<i>S. monilicornis</i>	none	7-10	black	black	red+black tip
263	<i>S. niger</i>	none	5-6	black	black	black
264	<i>S. pellucidus</i>	none	6-9	black	black	red+black tip
265	<i>S. puncticeps</i>	none	5-7	black	black	red+black tip
266	<i>S. reticulatus</i>	none	7-10	black	black	red+black tip
267	<i>S. rubicundus</i>	none	8-10	black	black	red+black tip
268	<i>S. scabricollis</i>	none	7-9	black	black	red+black tip
269	<i>S. spinulosus</i>	none	10-11	black	black	red+black tip
270						
271	Megachilidae					
272	Anthidium - carder bees					
273	<i>A. manicatum</i>	gaster, dirty yellow	11-17	black	brown	black+gold spots
274						
275	Chelastoma - solitary bees					
276	<i>C. campanularum</i>	gaster, grey	5-7	black	black	black
277	<i>C. florisomne</i>	gaster, dirty yellow	7-11	black	black	black+white bands
278						
279	Coelioxys - cuckoo bees					
280	<i>C. afra</i>	Grey	7-11	Tawny	black	black+white spots
281	<i>C. conoidea</i>	none	11-14	black	black+white	black+white spots
282	<i>C. elongata</i>	none	11-14	brown	brown	black+white bands
283	<i>C. inermis</i>	none	9-12	brown	brown	black+white bands
284	<i>C. mandibularis</i>	none	9-12	brown	brown	black+white spots
285	<i>C. quadridentata</i>	none	9-12	brown	brown	black+white bands
286	<i>C. rufescens</i>	none	8-12	brown	brown	black+white bands
287						
288	Heriades - solitary bees					
289	<i>H. truncorum</i>	gaster, orange	5-8	black	black	black+white bands
290						
291	Hoplitis - solitary bees					

	A	J	K	L	M	N
1	SPECIES		M	COLOUR - overall impression (M)		
2		pollen brush	L.mm	Head	Thorax	Gaster
3		location, colour				
292	<i>H. claviventris</i>	gaster, grey	7-10	brown	brown	black+white bands
293						
294	Megachile - leaf-cutter bees					
295	<i>M. centuncularis</i>	gaster, orange	9-12	brown	brown	black+white bands
296	<i>M. circumcincta</i>	gaster, orange	9-13	brown	brown	brown
297	<i>M. dorsalis</i>	gaster, grey	6-10	brown	brown	brown+cream bands
298	<i>M. ligniseca</i>	gaster, gold	12-15	brown	brown	brown
299	<i>M. maritima</i>	gaster, yellow	12-15	brown	brown	brown
300	<i>M. versicolor</i>	gaster, orange	10-12	brown	brown	brown+cream bands
301	<i>M. willoughbiella</i>	gaster, orange+black	10-14	brown	brown	brown
302						
303	Osmia - mason bees					
304	<i>O. aurulenta</i>	gaster, red	8-12	brown	brown	black+tawny bands
305	<i>O. bicolor</i>	gaster, red	9-11	brown	brown	brown+tawny bands
306	<i>O. bicornis (=rufa)</i>	gaster, orange	7-13	brown	tawny	tawny
307	<i>O. caerulescens</i>	gaster, black	7-10	tawny	tawny	metallic green
308	<i>O. inermis</i>	gaster, black	7-10	brown	brown	black
309	<i>O. leaiana</i>	gaster, orange	7-10	brown	brown	metallic green
310	<i>O. parietina</i>	gaster, black	7-9	brown	brown	metallic green
311	<i>O. pilicornis</i>	gaster, black	8-11	brown	brown	brown+tawny bands
312	<i>O. spinulosa (=Hoplitis spinulosa)</i>	gaster, orange	6-9	brown	brown	black+white bands
313	<i>O. uncinata</i>	gaster, black	8-9	brown	tawny	black
314	<i>O. xanthomelana</i>	gaster, black	10-12	tawny	tawny	tawny
315						
316	Stelis - cuckoo bees					
317	<i>S. breviscula</i>	none	5-7	black	black	black+white bands
318	<i>S. ornatula</i>	none	6-8	black	black	black+yellow spots
319	<i>S. phaeoptera</i>	none	6-10	black	black	black
320	<i>S. punctulatissima</i>	none	7-11	black	brown	brown+paler bands
321						
322	Melittidae					
323	Dasypoda - mining bees					

	A	J	K	L	M	N
1	SPECIES		M	COLOUR - overall impression (M)		
2		pollen brush	L.mm	Head	Thorax	Gaster
3		location, colour				
324	<i>D. hirtipes</i>	leg, gold	12-15	brown	tawny	black+light brown bands
325						
326	Macropis - mining bees					
327	<i>M. europaea</i>	leg, black+white	8-9	black	brown	black+white bands
328						
329	Melitta - mining bees					
330	<i>M. dimidiata</i>	leg, dirty yellow	12-13	brown	tawny	black+tawny bands
331	<i>M. haemorrhoidalis</i>	leg, dirty yellow	10-12	brown	brown	black+tawny bands
332	<i>M. leporina</i>	leg, dirty yellow	9-12	brown	brown	black+tawny bands
333	<i>M. tricincta</i>	leg, dirty yellow	8-12	brown	brown	black+tawny bands
334						
335						
336						
337						
338						
339						
340						
341						
342						
343						
344						
345						
346						
347						
348						
349						
350						
351						
352						
353						
354						
355						

	A	J	K	L	M	N
1	SPECIES		M	COLOUR - overall impression (M)		
2		pollen brush	L.mm	Head	Thorax	Gaster
3		location, colour				
356						
357						
358						
359						
360						
361						
362						
363						
364						
365						
366						
367						
368						
369						
370						
371						
372						
373						
374						
375						
376						
377						
378						
379						
380						
381						
382						
383						
384						
385						
386						
387						

	A	J	K	L	M	N
1	SPECIES		M	COLOUR - overall impression (M)		
2		pollen brush	L.mm	Head	Thorax	Gaster
3		location, colour				
388						
389						
390						
391						
392						
393						
394						
395						
396						
397						
398						
399						
400						
401						
402						
403						
404						
405						
406						
407						
408						
409						
410						
411						
412						
413						
414						
415						
416						
417						
418						
419						

	A	J	K	L	M	N
1	SPECIES		M	COLOUR - overall impression (M)		
2		pollen brush	L.mm	Head	Thorax	Gaster
3		location, colour				
420						
421						
422						
423						
424						
425						
426						
427						
428						
429						
430						
431						
432						
433						
434						
435						
436						
437						
438						
439						
440						
441						
442						
443						
444						
445						
446						
447						
448						
449						
450						
451						

	A	J	K	L	M	N
1	SPECIES		M	COLOUR - overall impression (M)		
2		pollen brush	L.mm	Head	Thorax	Gaster
3		location, colour				
452						
453						
454						
455						
456						
457						
458						
459						
460						
461						
462						
463						
464						
465						
466						
467						
468						
469						
470						
471						
472						
473						
474						
475						
476						
477						
478						
479						
480						
481						
482						
483						

	A	J	K	L	M	N
1	SPECIES		M	COLOUR - overall impression (M)		
2		pollen brush	L.mm	Head	Thorax	Gaster
3		location, colour				
484						
485						